



QMS REGISTERED TO ISO 9001

MILL BLADES

*Industrial Quality Blades
for Tire and Rubber Working Applications*

CATALOG #715

EVERHARD PRODUCTS, INC.

1016 Ninth Street SW ■ Canton, Ohio 44707 USA

Toll-free: 1-800-298-2832 or 330-453-7786

Toll-free Fax: 1-800-225-0984 or 330-453-7449

Tire.Everhard.com

9/16" AND 5/8" WIDTH

| Model # | L | W | Thick | Blade |
|---------|---|---|-------|-------|
|---------|---|---|-------|-------|



| | | | | |
|------------------|--------|-------|-------|------|
| DH72610 | 3-7/8" | 9/16" | .109" | Flat |
| High speed steel | | | | |



| | | | | |
|-------------------|----|-------|-------|------|
| MK39000 | 6" | 9/16" | .065" | Flat |
| High carbon steel | | | | |



| | | | | |
|-------------------|----|-------|-------|------|
| DH72760 | 6" | 9/16" | .065" | Flat |
| High carbon steel | | | | |



| | | | | |
|-------------------|----|------|-------|-------|
| DH73050 | 9" | 5/8" | .072" | Bevel |
| High carbon steel | | | | |



| | | | | |
|-------------------|----|------|-------|------|
| DH73040 | 9" | 5/8" | .072" | Flat |
| High carbon steel | | | | |



| | | | | |
|------------------|--------|------|-------|-------|
| DH72620 | 6-1/2" | 5/8" | .072" | Bevel |
| High speed steel | | | | |



| | | | | |
|-------------------|----|------|-------|-------|
| DH73060 | 6" | 5/8" | .072" | Bevel |
| High carbon steel | | | | |



| | | | | |
|-------------------|--------|------|-------|------|
| DH72030 | 6-3/8" | 5/8" | .065" | Flat |
| High carbon steel | | | | |

5/8" WIDTH

| Model # | L | W | Thick | Blade |
|---------|---|---|-------|-------|
|---------|---|---|-------|-------|



| | | | | |
|------------------|----|------|-------|------|
| DH72750 | 6" | 5/8" | .072" | Flat |
| High speed steel | | | | |



| | | | | |
|------------------|----|------|-------|-------|
| DH72660 | 6" | 5/8" | .072" | Bevel |
| High speed steel | | | | |



| | | | | |
|-------------------|----|------|-------|-------|
| DD68830 | 6" | 5/8" | .072" | Bevel |
| High carbon steel | | | | |



| | | | | |
|-------------------|----|------|-------|-------|
| DH73110 | 6" | 5/8" | .072" | Bevel |
| High carbon steel | | | | |



| | | | | |
|-------------------|----|------|-------|------|
| DH73100 | 6" | 5/8" | .072" | Flat |
| High carbon steel | | | | |



| | | | | |
|-----------------------|----|------|-------|------|
| MK38000 | 6" | 5/8" | .072" | Flat |
| Semi-high speed steel | | | | |



| | | | | |
|-------------------|--------|------|-------|------|
| MK39140 | 5-3/4" | 5/8" | .065" | Flat |
| High carbon steel | | | | |



| | | | | |
|-------------------|--------|------|-------|------|
| MK39010 | 5-5/8" | 3/4" | .072" | Flat |
| High carbon steel | | | | |

11/16" AND 3/4" WIDTH

| Model # | L | W | Thick | Blade |
|---------|---|---|-------|-------|
|---------|---|---|-------|-------|



| | | | | |
|------------------|--------|--------|-------|-------|
| DH72600 | 5-1/2" | 11/16" | .058" | Bevel |
| High speed steel | | | | |



| | | | | |
|-------------------|--------|------|-------|-------|
| DH73170 | 6-1/2" | 3/4" | .072" | Bevel |
| High carbon steel | | | | |



| | | | | |
|-------------------|----|------|-------|------|
| DH73130 | 6" | 3/4" | .072" | Flat |
| High carbon steel | | | | |



| | | | | |
|------------------|--------|------|-------|------|
| DH73180 | 6-3/8" | 3/4" | .072" | Flat |
| High speed steel | | | | |



| | | | | |
|-------------------|----|------|-------|------|
| DH73070 | 9" | 3/4" | .072" | Flat |
| High carbon steel | | | | |



| | | | | |
|------------------|--------|------|-------|------|
| DH72680 | 6-1/2" | 3/4" | .072" | Flat |
| High speed steel | | | | |



| | | | | |
|-------------------|--------|------|-------|------|
| DH73150 | 6-1/2" | 3/4" | .072" | Flat |
| High carbon steel | | | | |

NOTE: Some mill blades are special order and require minimum order quantities. Call us toll-free at 1-800-298-2832 (or 330-453-7786) ask about any of our mill blades.

FLAT BLADE (side view)

Unground blank, no taper from top to bottom.

BEVELED BLADE (side view)

Ground so that the blank is tapered from top to bottom.

GROUND CUTTING EDGE

for each mill blade is double bevel.

3/4" WIDTH

| Model # | L | W | Thick | Blade |
|---------|---|---|-------|-------|
|---------|---|---|-------|-------|



MK38040 5-3/16" 3/4" .068" Flat
Semi-high speed steel



MK38030 5-3/16" 3/4" .065" Flat
Semi-high speed steel



MK38080 5-3/16" 3/4" .065" Flat
Semi-high speed steel



DH73140 6-1/2" 3/4" .072" Flat
High carbon steel



DH73080 9" 3/4" .072" Bevel
High carbon steel



MK38100 5-1/2" 3/4" .070" Flat
Semi-high speed steel



DH73190 5" 3/4" .083" Flat
CV alloy steel



DD68840 6-1/2" 3/4" .072" Flat
High carbon steel

3/4" WIDTH

| Model # | L | W | Thick | Blade |
|---------|---|---|-------|-------|
|---------|---|---|-------|-------|



MK38065 6-1/2" 3/4" .072" Flat
Semi-high speed steel



DD68820 6-1/2" 3/4" .072" Bevel
High speed steel



DD68850 6-1/2" 3/4" .072" Bevel
High carbon steel




DH72690 6-1/2" 3/4" .072" Bevel
High speed steel



DH72700 6-1/2" 3/4" .065" Bevel
High speed steel



DH73160 6-1/2" 3/4" .072" Bevel
High carbon steel



MK38070 6-1/2" 3/4" .072" Flat
Semi-high speed steel



DH72780 6-1/2" 3/4" .072" Flat
High speed steel

3/4" WIDTH

| Model # | L | W | Thick | Blade |
|---------|---|---|-------|-------|
|---------|---|---|-------|-------|



DH72720 6-1/4" 3/4" .072" Flat
High speed steel



DH73020 6-1/2" 3/4" .072" Flat
High carbon steel



DH73143 8" 3/4" .125" Flat
High carbon steel



MK38060 6-1/2" 3/4" .072" Flat
Semi-high speed steel



MK39030 6-1/2" 3/4" .072" Flat
High carbon steel



MK38050 6-1/2" 3/4" .072" Flat
Semi-high speed steel



DH73120 6-1/2" 3/4" .072" Flat
High carbon steel

NOTE: Some mill blades are special order and require minimum order quantities. Call us toll-free at 1-800-298-2832 (or 330-453-7786) ask about any of our mill blades.

FLAT BLADE (side view)
Unground blank, no taper from top to bottom.

BEVELED BLADE (side view)
Ground so that the blank is tapered from top to bottom.

GROUND CUTTING EDGE
for each mill blade is double bevel.

MILL BLADE HANDLES

ERGONOMIC RUBBER

Everhard's ergonomic rubber handles are 4-1/2" long and provide users with increased comfort and more control. Lightweight, die-cast alloy handle with durable rubber grip has slotted and/or hex screw adjustment.

| Model # | Fits Blades | Screw Type | Handle Type | Weight |
|---------|-----------------|---------------|-------------|------------|
| DH72560 | 5/8" and 9/16" | Slotted | Open End | 0.220 lbs. |
| DH72570 | 3/4" and 11/16" | Slotted | Open End | 0.220 lbs. |
| DH72580 | 3/8" | Slotted | Open End | 0.220 lbs. |
| MK41630 | 3/4" and 11/16" | Hex & Slotted | Open End | 0.220 lbs. |



Ergonomic Rubber Handle

WOOD

Everhard's heavy duty wood inlay handles are 4-3/8" long with an aluminum die-cast frame. Blade slot extends through the full length of the handle. Slotted screw or hex screw adjustment.

| Model # | Fits Blades | Screw Type | Handle Type | Weight |
|---------|-----------------|---------------|-------------|------------|
| MK41580 | 5/8" and 9/16" | Slotted | Open End | 0.306 lbs. |
| MK41590 | 5/8" and 9/16" | Hex | Open End | 0.306 lbs. |
| MK41600 | 3/4" and 11/16" | Slotted | Open End | 0.288 lbs. |
| MK41610 | 3/4" and 11/16" | Hex | Open End | 0.288 lbs. |
| MK41560 | 3/4" and 11/16" | Hex & Slotted | Open End | 0.288 lbs. |




Wood Handle


SHEATHS*

Everhard's durable sheaths are available for all handles with mill blades.

| Model # | Pocket Size | Overall Size | Features |
|---------|-----------------|-----------------|------------|
| DH75950 | 4" x 1 1/4" | 9 3/8" x 3 1/2" | Belt Slots |
| DR86320 | 4 1/4" x 2 1/4" | 6 3/4" x 3" | Belt Slots |



DH75950



DR86320

*Don't see the sheath you like? Contact Everhard for a complete list of available options.

EVERHARD PRODUCTS, INC.

1016 Ninth Street SW ■ Canton, Ohio 44707 USA

Toll-free: 1-800-298-2832 or 330-453-7786

Toll-free Fax: 1-800-225-0984 or 330-453-7449

Tire.Everhard.com